## **Technical data sheet** Reduction, PG thread

**Item number: 2089319** 





Reduction (Part H) to DIN 46320, with Pg thread to DIN 40430, as a transition from a PG thread hole to a smaller cable gland.

\* Prices according to DEL notation.

Brass

Nickel-plated

### Master data

| Item number                           | 2089319                 |
|---------------------------------------|-------------------------|
| Туре                                  | 167 R MS PG29-21        |
| Description 1                         | Reduction               |
| Manufacturer                          | OBO                     |
| Dimension                             | PG29-PG21               |
| Material                              | Brass                   |
| Surface                               | Nickel-plated           |
| Surface standard                      |                         |
| Smallest sales unit                   | 50                      |
| Unit of quantity                      | Piece                   |
| Weight                                | 4.273 kg                |
| Weight unit                           | kg/100 pc.              |
| CO Footprint (GWP) Cradle-to-<br>Gate | 0,0988 kg COe / 1 Piece |


# **Technical data sheet** Reduction, PG thread





# PG29

| Dimension D  | 39 mm  |
|--------------|--------|
| Dimension L1 | 8 mm   |
| Dimension L2 | 3.5 mm |



### Technical data

| explosion-proof                | no   |
|--------------------------------|------|
| Thread type: External thread   | PG   |
| Thread type: Internal thread   | PG   |
| Thread length                  | 8 mm |
| Thread dimension, PG, external | 29   |
| Thread dimension, PG, internal | 21   |
| Nickel-plated                  | yes  |