### **Technical data sheet**

### **Mounting and fastening plate T350**

**Item number: 2007888** 





This mounting and fastening plate gives the options for variable fixing of external components in the junction box. It consists of strip-galvanised sheet steel of a material thickness of 2 mm.

The appropriate fastening holes are drilled into the steel plate for the component that needs to be fixed. Then, the products can be attached onto the sheet with cable ties, screws or similar fastening materials.

Using the screws included in the scope of the delivery, the mounting fastening plate can now be fixed in the appropriate T series (T 350) junction box.



St

Steel

FS

Strip galvanized

#### Master data


| Item number         | 2007888                  |  |
|---------------------|--------------------------|--|
| Туре                | MBP T350                 |  |
| Description 1       | Mounting fastening plate |  |
| Description 2       | incl. fastening screws   |  |
| Manufacturer        | OBO                      |  |
| Dimension           | 225x140x2                |  |
| Material            | Steel                    |  |
| Surface             | Strip galvanized         |  |
| Surface standard    | DIN EN 10346             |  |
| Smallest sales unit | 1                        |  |
| Unit of quantity    | Piece                    |  |
| Weight              | 45.5 kg                  |  |
| Weight unit         | kg/100 pc.               |  |
|                     |                          |  |

# **Technical data sheet**

# **Mounting and fastening plate T350**







| Width        | 225 mm |
|--------------|--------|
| Height       | 140 mm |
| Dimension B  | 140 mm |
| Dimension B1 | 86 mm  |
| Dimension L  | 225 mm |
| Dimension L1 | 149 mm |
|              |        |
|              |        |
|              |        |
|              |        |
|              |        |
|              |        |

| Technical data |                    |      |
|----------------|--------------------|------|
|                | Material thickness | 2 mm |
|                | With perforation   | yes  |