


Technical data sheet

Cable tray, marine standard A2

Item number: 6045842



Cable tray for use in ship construction, produced according to the marine standard VG 88900-1.



- A2

Stainless steel
- 2B

Bright, treated

Master data	
Item number	6045842
Description 1	Cable tray marine standard
Description 2	Material thickness 1.50mm
Manufacturer	OBO
Dimension	15x250x2000
Colour	stainless steel
Material	Stainless steel
Surface	Bright, treated
Surface standard	
Smallest sales unit	2
Unit of quantity	Metre
Weight	235.25 kg
Weight unit	kg/100 m
CO Footprint (GWP) Cradle-to-Gate	25,3608 kg COe / 1 Meter


Technical data sheet

Cable tray, marine standard A2

Item number: 6045842



Dimensions



Dimension	15 X 250
Length	2,000 mm
Width	250 mm
Height	15 mm
Plate thickness	1.5 mm
Dimension B	250 mm

Technical data

Connector version	Without connectors
Walkable	no
Maintain electrical functions	no
With cover	no
Mounting perforation in base	yes
NATO hole pattern	yes
Rustproof steel, pickled	yes
Side perforation	no
Wide-span version	no
Load test type according to IEC 61537	Type II
Type of connector, cable support system	Screwed

Loads

Support spacing 1.0 m	0.75 kN/m
Support spacing 1.5 m	0.25 kN/m